

MAXSPEED[®]

HIGH SPEED SPRINGLESS
IMPACTABLE RUBBER DOOR



C.H.I. [®]
a **NUCOR** company

chiohd.com

APPLICATIONS

- Transportation
- Bus Terminals
- Airports
- Automotive Facilities
- Recycling
- Manufacturing Facilities
- Mining
- Energy

FEATURES & BENEFITS

- SAFE, springless operation reduces injury associated with torsion springs
- Impactable design reduces maintenance, repair costs, and decreases downtime
- Fast operating speeds reduces air infiltration which leads to reduced energy costs
- With opening speed with up to 48" per second, productivity and traffic flow increases
- Optional patent pending soft bottom edge reduces damage to heavy equipment upon impact
- Limited Lifetime Warranty on our reinforced 1/4" thick rubber curtain

MAXSPEED[®]

High Speed Springless Impactable Rubber Door

**RAPID HIGH-SPEED DOOR
IMPROVES TRAFFIC FLOW**

MAXSPEED[®]

High Speed Springless Impactable Rubber Door



Impactable design and
breakaway bottom bar
minimize damage and
lower maintenance costs

Direct variable frequency
drive & springless operation
high speed rubber doors



MAXSPEED[®]

High Speed Springless Impactable Rubber Door



Springless engineering
reduces safety concerns
promoting a safer work
environment

Energy costs lowered due
to fast operating speeds
reducing air infiltration



The logo for MAXSPEED, with 'MAX' in red and 'SPEED' in black, followed by a registered trademark symbol.


High Speed Springless Impactable Rubber Door



**STRONG, RUGGED, AND DURABLE DOORS
FOR OVERSIZED OPENINGS**

MAXSPEED®

High Speed Springless Impactable Rubber Door



SPECIFICATIONS

Standard Features

OPENING SPEED	Up to 48" per second
MAX SIZE	40' x 30'
DRIVE	Direct Variable Frequency Drive
CURTAIN	1/4" Reinforced Rubber Curtain
GUIDE WIDTH	5" Powder Coated Finish on Steel Components
SAFETY DEVICES	Wireless safety reversing edge, inertia brake, reflective photo eye
ELECTRICAL	460v / 3 Phase, Other Voltages Available

Optional Features

MECHANICAL	Hood & Motor Cover, 2" High Visibility Strip
SAFETY DEVICES	14" x 14" Vision Windows Light Curtain
ACTIVATION DEVICES	Floor Loops, Pull Cord, Falcon Eye Motion Sensors
CURTAIN COLORS	Black [standard], Blue, and Gray
APPLICATIONS	Transportation, Manufacturing Facilities, Heavy Industries



ARCHITECT DESIGN RESOURCES



Fire Shutter, Coakley Brothers Water Tower Building - Milwaukee, WI

BE INSPIRED

CONNECT WITH A CONSULTANT

Sometimes you need expert advice on new or challenging design ideas. That's why C.H.I. Overhead Doors has an architectural design support team dedicated to assisting you in every state of the design process: from determining the appropriate closure option to choosing the best door for your design.

chiohd.com | 1485 Sunrise Drive | Arthur, IL 61911 | USA

Your Local Garage Door Professional